AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of the claims in the application:

LISTING OF CLAIMS

- 1. (Canceled)
- 2. (Previously Presented) The method as claimed in claim 11, wherein the at least one metering device is an electric power meter.
- 3. (Previously Presented) The method as claimed in claim 11, wherein the at least one metering device is a water measuring meter.
- 4. (Currently Amended) The method as claimed in claim 11, wherein the at least one metering device is a gas meter, such as a natural gas meter.
- 5. (Previously Presented) The method as claimed in claim 11, wherein the at least one metering device is a heating meter.
- 6. (Previously Presented) The method as claimed in claim 2, wherein the at least one sensor is an electric pulse sensor.

- 7. (Currently Amended) The method as claimed in claim 2, wherein the at least one sensor has optical means for direct reading of the mechanical indications such as a display-panel of the power meter, such as a KWh meter.
- 8. (Previously Presented) The method as claimed in claim 3, wherein the at least one sensor has optical means for direct reading of mechanical indications of the water meter.
- 9. (Currently Amended) The method as claimed in claim 4, wherein the at least one sensor has optical means for direct reading of mechanical indications of the gas meter, such as a natural gas meter.
- 10. (Previously Presented) The method as claimed in claim 5, wherein the at least one sensor has optical means for direct reading of mechanical indications of the heating meter.
- 11. (Currently Amended) A method of remote management of products and services, comprising:

installing at least one sensor in or near at least one consumption metering device; collecting readings from the at least one sensor installed on the at least one metering device at fixed time intervals;

transmitting the collected readings to a communication unit installed in or near property of a consumer;

receiving, processing, and storing the readings from the at least one sensor in the communication unit;

transmitting information processed by the communication unit to at least one communication center;

receiving, processing, and storing the information from multiple communication units of multiple users-consumers in the at least one communication center;

creating consumption curves or kilowatt hour sale prices in effect at any given time in the at least one communication center, based on the information from one or multiple communication units; and

transmitting the consumption curves or kilowatt hour sales prices to individual communication units,

wherein the information collected from the at least one sensor is processed on the basis of time, leading to the creation of more than one charging zones, and

wherein a product or service providing company may automatically interrupt the supply of services and products to the consumer-user through communication with the communication unit.

12. (Previously Presented) The method as claimed in claim 11, wherein the information collected by the at least one sensor is transmitted from the meter to the communication unit through power transfer lines.

Attorney Docket No. 48105-0003-00-US U.S. Appln. No. 10/588,649

Response to Office Action dated June 4, 2009

Page 5

13. (Previously Presented) The method as claimed in claim 11, wherein the data from

the at least one sensor is transmitted by means of radio communication to the communication

unit.

14. (Previously Presented) The method as claimed in claim 11, wherein the data from

the at least one sensor is transmitted through the communication unit to the communication

center of a provider of the products or services through the Internet.

15. (Previously Presented) The method as claimed in claim 11, wherein the data from

the at least one sensor is transmitted through the communication unit to the communication

center of a provider of the products or services through a simple telephone line.

16. (Previously Presented) The method as claimed in claim 11, wherein the data from

the at least one sensor is transmitted through the communication unit to the communication

center of a provider of the products or services through cellular mobile telephony.

17. (Previously Presented) The method as claimed in claim 11, wherein a consumption

curve is created and transmitted from the communication center of a provider of the products or

services to the communication unit or communication center of a user-consumer.

18. (Previously Presented) The method as claimed in claim 11, wherein a consumer--

user is able to settle invoices with the communication center of a provider of the products and

services through the communication unit.

- 19. (Previously Presented) The method as claimed in claim 11, wherein a consumeruser may express his opinion that has been requested, through the communication unit to the communication center of a provider of the products and services.
 - 20. (Canceled).
- 21. (Currently Amended) The method as claimed in claim [[20]] 11, wherein the interrupted service or product refers to the acquisition of electric power by the consumer--user.
- 22. (Previously Presented) The method as claimed in claim 21, wherein the service or product providing company may reconnect the consumer--user and restore the supply of products and services through communication with the communication unit.
- 23. (Currently Amended) The method as claimed in claim [[20]] 11, wherein the product or service providing company is a natural gas supply company and the interrupted supply is the natural gas supply.
- 24. (Previously Presented) The method as claimed in claim 23, wherein the natural gas supply company is able to reconnect the consumer--user to the system through communication with the communication unit.

- 25. (Currently Amended) The method as claimed in claim 23, wherein the interruption of supply is for safety reasons, such as the presence of a leak or uncontrolled consumption.
- 26. (Previously Presented) The method as claimed in claim 25, wherein the natural gas supply company is able to reconnect the consumer--user to the system through communication with the communication unit.
- 27. (Currently Amended) The method as claimed in claim [[20]] 11, wherein the product or service providing company is a water supply company and the interrupted supply is the water supply, and wherein the interruption can be for technical reasons associated with exploitation and financial management.
- 28. (Previously Presented) The method as claimed in claim 27, wherein the water supply company may reconnect and restore the supply to the consumer-user through communication with the communication unit.
- 29. (Currently Amended) The method as claimed in claim 27, wherein the interruption is for reasons of safety, such as uncontrolled consumption.
- 30. (Previously Presented) The method as claimed in claim 29, wherein the water supplying company may restore the supply to the consumer-user that was interrupted for safety reasons through communication with the communication unit.

- 31. (Previously Presented) The method as claimed in claim 3, wherein the communication unit, or the communication center of a water supply company through the communication unit, may restrict the consumption of water by a set number of product volume units for protection against excessive consumption or uncontrolled leak at the premises of the consumer-user.
- 32. (Previously Presented) The method as claimed in claim 6, wherein the electric pulse sensor is installed in the interior of the at least one meter.
- 33. (Previously Presented) The method as claimed in claim 6, wherein the electric pulse sensor is installed on the exterior of the at least one meter.
- 34. (Previously Presented) The method as claimed in claim 11, wherein the at least one sensor has optical means for direct reading of the at least one meter and is installed in the interior of the at least one meter.
- 35. (Previously Presented) The method as claimed in claim 11, wherein the at least one sensor has optical means for direct reading of the at least one meter and is installed on the exterior of the at least one meter.
- 36. (Previously Presented) The method as claimed in claim 11, wherein the communication unit of the consumer--user receives consumption related information from the at least one meter, with the use of pulse generating means that are installed in the interior of the at

least one meter and are supplied by means of external contacts of special design and construction.

- 37. (Previously Presented) The method as claimed in claim 11, wherein data is transmitted between the at least one sensor and the communication unit by means of power line carrier transmission to the electric power transfer lines of the consumer--user.
- 38. (Previously Presented) The method as claimed in claim 11, wherein data is transmitted between the at least one sensor and the communication unit by means of radio electromagnetic communication.
- 39. (Currently Amended) The method as claimed in claim 11, wherein data is transmitted between the at least one sensor and the communication unit by microwaves, for example, Bluetooth.
- 40. (Previously Presented) The method as claimed in claim 11, wherein data is transmitted between the communication unit and sensors in other meters with the exception of electric power meters by means of radio electromagnetic communication.
- 41. (Currently Amended) The method as claimed in claim 11, wherein data is transmitted between the communication unit and the consumer's meter, which is installed at a different electric power supply phase, by means of microwaves, for example, Bluetooth.

- 42. (Previously Presented) The method as claimed in claim 11, wherein data is transmitted between the communication unit and the consumer's meter, which is installed at a different electric power supply phase, by means of electromagnetic communication.
- 43. (Currently Amended) The method as claimed in claim 11, wherein data is transmitted between the communication unit and other meters with the exception of electric power meters by means of microwaves, for example, Bluetooth.
- 44. (Previously Presented) The method as claimed in claim 11, wherein many different sensors send data to be processed by one communication unit.
- 45. (Previously Presented) The method as claimed in claim 44, wherein the one communication unit services more than one consumers--users.
- 46. (Previously Presented) The method as claimed in claim 44, wherein the one communication unit comprises software required in order to service multiple users.
- 47. (Previously Presented) The method as claimed in claim 44, wherein the one communication unit issues invoice settlement collections.
- 48. (Currently Amended) A method of remote management of products and services, comprising:

installing at least one sensor in or near at least one consumption metering device;

collecting readings from the at least one sensor installed on the at least one metering device at fixed time intervals;

transmitting the collected readings to a communication unit installed in or near property of a consumer;

receiving, processing, and storing the readings from the at least one sensor in the communication unit;

transmitting information processed by the communication unit to at least one communication center;

receiving, processing, and storing the information from multiple communication units of multiple users-consumers in the at least one communication center;

creating consumption curves or kilowatt hour sale prices in effect at any given time in the at least one communication center, based on the information from one or multiple communication units; and

transmitting the consumption curves or kilowatt hour sales prices to individual communication units,

wherein the communication center of a service providing company comprises software required in order to undertake and process information received from the communication unit, and

wherein a product or service providing company may interrupt the supply of services and products to the consumer-user through communication with the communication unit.

- 49. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software required for the registration and storing of information from the communication unit of the consumer--user.
- 50. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending messages to the communication unit of users--consumers regarding the settlement of obligations.
- 51. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending promotion material to the communication unit of users--consumers.
- 52. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending poll messages to the communication unit of users--consumers.
- 53. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending commands and messages to a group of communication units of users--consumers.
- 54. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending price updates to the communication unit of users--consumers.

- 55. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending product and service supply interruption orders to the communication unit of users--consumers.
- 56. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending supply reconnection orders to the communication unit of users--consumers.
- 57. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for sending fuel change orders to the communication unit of users--consumers under special contract.
- 58. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for accepting customer invoice payments for the supply of electric power from the communication unit of usersconsumers.
- 59. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for accepting customer invoice payments for the water supply from the communication unit of users-consumers.

- 60. (Currently Amended) The method as claimed in claim 48, wherein the communication center further comprises software and means required for accepting customer invoice payments for the supply of gas, such as natural gas, from the communication unit of users-consumers.
- 61. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for accepting customer invoice payments for the supply of heating services from the communication unit of usersconsumers.
- 62. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for accepting product transaction orders from the communication unit of users-consumers.
- 63. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for processing data with a plotter in order to draft the consumption curves of users--consumers.
- 64. (Previously Presented) The method as claimed in claim 48, wherein the communication center further comprises software and means required for processing data with a plotter and the means required for sending this information to the communication unit or communication center of users-consumers.

65. (Canceled)

- 66. (Previously Presented) The system as claimed in claim 80, in which communication between the communication unit and the communication center of a product and service supplying company is through the Internet.
- 67. (Previously Presented) The system as claimed in claim 80, in which communication between the communication unit and the communication center of a product and service supplying company is through mobile telephony.
- 68. (Previously Presented) The system as claimed in claim 80, in which communication between the communication unit and the communication center of a product and service supplying company is through a simple telephone line.
- 69. (Previously Presented) The system as claimed in claim 80, in which the at least one meter is an electric power meter.
- 70. (Previously Presented) The system as claimed in claim 80, in which the at least one meter is a water supply meter.
- 71. (Currently Amended) The system as claimed in claim 80, in which the at least one meter is a gas meter, such as a natural gas meter.

Attorney Docket No. 48105-0003-00-US U.S. Appln. No. 10/588,649

Response to Office Action dated June 4, 2009

72. (Previously Presented) The system as claimed in claim 80, in which the at least one

meter is a heating meter.

73. (Previously Presented) The system as claimed in claim 80, in which the means of

communication between the communication unit and the at least one meter is the exchange of

power line carrier signals at the electric power transfer lines of the consumer--user.

74. (Currently Amended) The system as claimed in claim 80, in which the means of

communication between the communication unit and the at least one meter, is the exchange of

microwaves, for example, Bluetooth signals.

75. (Previously Presented) The system as claimed in claim 80, in which the means of

communication between the communication unit and the at least one meter, is effected by means

of electromagnetic radio communication.

76. (Previously Presented) The system as claimed in claim 80, in which the means of

communication between the communication unit and the at least one meter is in the form of

digital data.

77. (Previously Presented) The system as claimed in claim 80, in which the means of

communication between the communication unit and the at least one meter is in the form of

digitized optical images.

- 78. (Previously Presented) The system as claimed in claim 77, in which the communication unit comprises an optical character recognition (OCR) software program for receiving digitized optical images and processing them.
- 79. (Previously Presented) The system as claimed in claim 80, further comprising means for communication between the communication unit and meters installed at different electric power supply phases.
 - 80. (Currently Amended) A system comprising:

at least one sensor in or near at least one consumption metering device comprising means for collecting readings from the meter at fixed time intervals;

means for transmitting the collected readings to a communication unit;

a communication unit, in or near the location in which the at least one metering device is measuring consumption, comprising means for receiving, processing, and storing the readings from the at least one sensor, means for transmitting information processed by the communication unit to at least one communication center, [[and]] means for receiving consumption curves or kilowatt hour sales prices at any given time from the at least one communication center, and means for interrupting the supply of services and products to the consumer-user, if instructions are received for such an interruption from the communication center; and

the at least one communication center comprising means for receiving information from multiple communication units and means for creating and transmitting consumption curves or kilowatt hour sale prices in effect at any given time to individual communication units, and

Attorney Docket No. 48105-0003-00-US U.S. Appln. No. 10/588,649

Response to Office Action dated June 4, 2009

Page 18

means for creating and transmitting instructions to communication units to interrupt the supply

of services and products to the consumer-user,

wherein the communication unit further comprises means for recognition of emergency

conditions, means of classification thereof, and means for sending that recognition and

classification data to the at least one communication center.

81. (Previously Presented) The system as claimed in claim 80, wherein the

communication unit further comprises means for sending to and receiving messages from more

than one communication center.

82. (Canceled).

83. (Canceled).

84. (New) The system as claimed in claim 80, wherein the system further comprises

safety switches on the appliances to automatically change the amount of service or product

received from the product or service providing company based on instructions from the product

or service providing company transmitted from the communication center to the communication

unit, which controls the safety switches.

85. (New) The method as claimed in claim 25, wherein the safety reasons include

presence of a leak or uncontrolled consumption.

DC01/ 2244807.1

Attorney Docket No. 48105-0003-00-US U.S. Appln. No. 10/588,649 Response to Office Action dated June 4, 2009 Page 19

86. (New) The method as claimed in claim 29, wherein the reasons of safety include uncontrolled consumption.